# TOSHIBA

# Control - 5518A Control - 5518A

- > Black & White Multifunction Printer
- > Up to 85 PPM
- > Large Workgroup
- > Copy, Print, Scan, Fax

- > Secure MFP
- > Solutions Ready

TOSHIBA



# CONNECT. INTEGRATE. SIMPLIFY. AND MORE.

# Technology for every workplace, delivering advanced functionality, ease of use and peace of mind.

Every business is unique. That's why Toshiba offers the latest customizable solutions that can be tailored to meet your needs. Toshiba solutions help you simplify complex tasks while managing diverse information efficiently and safely to maximize your productivity.

Our latest series delivers on the Toshiba promise of Together Information – our commitment to collaborate with clients in order to provide tailored, cost-effective solutions that meet your print, document management and content needs while helping you meet your green objectives.

- > Speeds of 55, 65, 75 and 85 PPM black & white
- > Outstanding image quality and high volume output
- > Advanced e-BRIDGE Next technology
- > Fast dual-core processor



### Simple, smart and stylish.

A larger 10.1" tablet-style touch screen with an embedded web browser is easy to use, and customizable to meet your needs, enhancing the sleek and modern look of the complete series.

### Faster, sleeker, and more volume than ever.

Toshiba introduces a new, sleek lineup that's as impressive on the outside as it is on the inside. Its ultra-modern look houses the latest innovative technologies, like crisp, clean monochrome output at a speed of up to 85 pages per minute and an impressive 6,020-sheet maximum paper capacity.

- > True 1,200 x 1,200 dpi
- up to 3,600 x 1,200 dpi equivalent with PostScript 3
- > High-speed, high-capacity Dual-Scan Document Feeder
- > Up to 720K maximum monthly copy volume

### Customizable user interface streamlines complicated multi-step processes into automated one-touch functions.

A fully-customizable user interface with an open platform enables departments to tailor settings and automate workflow including the integration of third-party solutions resulting in simple operation and improved efficiency. Let Toshiba place productivity and performance at your fingertips.

- Customize and automate workflows specifically around your business processes
- Boost productivity by reducing manual processes in the office
- Personalize the user interface by department or individual user to deliver the utmost efficiency
- Cost savings and greater efficiency through improved workflow and productivity

TOSHIBA

# FEATURES AND BENEFITS AND MORE OF THEM.

With the Toshiba e-STUDIO8518A Series, you can improve workgroup connection, integrate and simplify, while improving efficiency with ultra-high-quality output at unprecedented volumes.

Higher Robust Speeds of 55/65/75/85 monochrome pages per minute.

Advanced e-BRIDGE Next Technology enables the MFP to drive Toshiba's internally developed embedded solutions or those from a third party with ease.

*Fast Dual-Scan Document Feeder* handles up to 300 sheets at a time and seamlessly scans both sides of each page in a single pass to produce a max of 240 images per minute (IPM).

Fast First Copy Out Times at 5.2/5.2/4.5/4.1 seconds respectively.

*10.1" Tablet-Style Touch Screen* works intuitively, helping you access instructions, functions, and commands with the swipe of the finger.

*Print Around* eliminates printing bottlenecks by allowing other print jobs to go around a job that's held-up for a specific paper size or media type.

*Limitless Job Reservation* will queue up multiple copy or print jobs so users can send jobs whenever.

Saddle/Fold Capabilities offer saddle-stitch finishing and the option to fold without stapling.

Auto Skew Correction ensures your scanned documents are reproduced accurately.

*e-BRIDGE Plus for USB* lets you print PDF and JPG files straight from your USB drive and the MFP will scale document to fit the available paper size if necessary.

Scan-to USB is great for capturing a file quickly when you're on the go.

Scan Preview allows you to review your scanned documents on the 10.1" tablet-style touch screen, even rotate and change pages prior to sending to file or email.

*Fax Preview* saves valuable resources by letting you view received faxes prior to printing them.

*Notifications Feature* takes the hassle out of checking for depleted supplies or maintenance needs.

*Paper Volume Indicators* on the front panel make it easy to see the paper sizes, types, and levels in each cassette.

*Multi-Station Print Enabler* allows you to retrieve your print job from a series of networked MFPs via simple authentication, now with support of up to 50 e-BRIDGE MFPs.









# TOSHIBA

# HOW TOSHIBA IS RAISING THE STANDARD.

When it comes to seamless workflow and simplified integration, the e-STUDIO8518A Series represents the finest Toshiba has to offer. The latest e-BRIDGE Next technology enables complete third-party integration and support for internally driven solutions.

AirPrint<sup>®</sup> and Mopria<sup>®</sup> support address the printing needs of mobile device users, while Wi-Fi Direct simplifies access to the MFP. Toshiba's exclusive e-BRIDGE Print & Capture application enables users additional printing features and the ability to scan documents back to their tablets or smart phones.

PCL 6, PS3, and XPS support, a universal print driver and our Toshiba V4 driver with Toshiba Print Experience provide fast and easy connectivity with Windows<sup>®</sup>, Macintosh<sup>®</sup> and beyond.

### **Cloud Support**

With Google Cloud Print<sup>™</sup> support, you can securely print over the web from anywhere, anytime—including your phone—to an e-STUDIO Series MFP. e-BRIDGE Plus for Google Drive<sup>™</sup>, e-BRIDGE Plus for OneDrive<sup>®</sup>, e-BRIDGE Plus for DropBox<sup>®</sup>, and e-BRIDGE Plus for box<sup>™</sup> address all of the popular cloud-based mobility apps.\*

Embedded Applications for Office365<sup>®\*\*</sup> lets users scan to and print from their Office365<sup>®</sup> directly at the front panel of the e-STUDIO MFP or their mobile device. This includes Word<sup>™</sup>, Excel<sup>®</sup> and PowerPoint<sup>®</sup> (docx, xlsx, pptx) documents stored in OneDrive<sup>®</sup> accounts or SharePoint<sup>®</sup> locations. When combined with our embedded OCR feature, documents can be scanned into these popular Office<sup>™</sup> formats as well.\*

\*Your network settings and/or access control may vary depending on network environment when installing e-BRIDGE Plus applications. For details, please consult Toshiba's sales person.

\*\*Available three applications; e-BRIDGE Plus for OneDrive® for Business, e-BRIDGE Plus for SharePoint® Online and e-BRIDGE Plus for Exchange Online

### **Advanced Security**

Even more important than functionality is the security offered by the e-STUDIO8518A Series. Such technological advancements include:

- > A 320GB Self-Encrypting Drive (SED) with Automatic Drive Invalidation (ADI) & Data Overwrite capability provides top level security
- Available FIPS 140-2 Validated SED exceeds government requirements
- IPsec is available to securely encrypt data sent to and from the MFP

### **Environmental Protection**

Because we have been working to protect the environment as well as your security, you can rest assured Toshiba has what it takes to protect both.

- > ENERGY STAR V2.0 certified
- RoHS compliance, the use of recycled plastics, and Super Sleep (0.6W) Mode work to help the environment
- EPEAT Gold Registered for greener electronics, designed to help purchasers choose products that reduce environmental impact
- > The new e-STUDIO models' Typical [weekly] Electrical Consumption or TEC value is exceptionally low, equating to an environmentally friendly product with a low operating cost too
- e-BRIDGE Plus for Green Information provides users with a graphical display at the MFP of their environmental contribution to promote more effective use

TOSHIBA

# FEATURES, BENEFITS, AND THE WOW FACTOR.

## 1 Accessory Tray & Keyboard Options

GR-1330:	Accessory Tray
GR-9000:	Bluetooth Keyboard
GR-1340:	10-Key Numeric Keypad

### 2 Finishing Options

MJ-1111-B:	50-Sheet Console Finisher
MJ-1112-B:	50-Sheet Saddle Stitch Finisher
MJ-6106N:	Hole Punch Unit
KA-6551-ET:	Side Exit Tray

### **3** Connectivity Options

GD-1370NA-N: Fax Unit/2nd Line for Fax Unit			
GN-4020:	Wireless LAN/Bluetooth Module		
GE-1230:	FIPS 140-2 Validated SED		

### 4 Additional Paper Options

MP-2502L-B: 2,500 Sheet Large Capacity Feeder

### **Additional Option Highlights**

- IPsec Security Enabler
- Multi-Station Print Enabler
- > Embedded OCR Enabler

The Toshiba e-STUDIO8518A Series tops all previous machines and helps large workgroups improve productivity and connectivity while simplifying the overall workflow.

### **Double the Scan Speed**

A 300-sheet high-speed, high-capacity Dual-Scan Document Feeder (DSDF) produces up to 120 IPM simplex and 240 IPM duplex.

### Bluetooth/Wi-Fi Option

Bluetooth feature provides support for a wireless keyboard to simplify workflow processes at the MFP, while the Wi-Fi capability enables Wi-Fi Direct printing making it ideal for mobile users

### **Volumes and Volumes**

A high monthly copy volume of 520K/590K/660K/720K respectively. Impressive toner yields of 106,600 at 5% coverage.

### **Multi-Station Print Enabler**

Toshiba's internally developed Multi-Station Print Enabler allows users to send print jobs from their desktop and retrieve them at any convenient MFP by simply swiping their card and authenticating at that device.

LT-RCP

LTD

### Advanced e-BRIDGE Next Technology

Built on Linux<sup>®</sup>, this latest generation e-BRIDGE Next architecture features an Embedded Web Browser, an Intel Atom<sup>™</sup> dual-core processor, 4GB RAM and a 320GB SED enabling the MFP to easily drive Toshiba's internally developed solutions and third-party applications.

# C-STUDIO 5518A/6518A/7518A/8518A

### **Main Specifications**

Copy System	Indirect Electrostatic Photographic Method/OPC/Laser Printing/
	Heat Roller Fusing
Display	10.1" Colour WSVGA Touch Screen Tilting Display
Copy Speed	55/65/75/85 PPM (LT)
First Copy Out	5.2/5.2/4.5/4.1 Seconds
Warm-Up Time	Approx. 24/24/20/20 Seconds
Copy Resolution	2400dpi (Equivalence) x 600dpi (with Smoothing)
Stack Feed Bypass	3.9" x 5.8" to 13" x 19", 12" x 47" Banner, Envelope
Multiple Copying	Up to 9,999 Copies
Paper Capacity	Standard 3,520 Sheets/Max. 6,020 Sheets
Original Feed	Standard 300-Sheet DSDF
	DSDF Scan: Up to 240 IPM Duplex, 120 IPM Simplex (Monochrome or
ecan opeca a reigne	Colour), Simplex: 9.3-110 lb Index, Duplex: 9.3-110 lb Index
Max. Original Size	
Paper Feed Sizes	Drawers: 540 Sheets-ST-R to 12" x 18"
. apor . cou 0.200	Integral Tandem LCF 1,160 x 2 LT-Only
	Stack Feed Bypass: 120 Sheets-3.9" x 5.8" to 13" x 19", 12" x 47" Banner
	Opt. 2,500-Sheet Ext. LCF LT-Only
Paper Weights	Tandem LCF 1.160 Sheets x 2-16 lb Bond-140 lb Index
. apor morgino	Plus 540 Sheets x 2-16 lb Bond-140 lb Index
	Stack Feed Bypass: 120 Sheets-16 lb Bond-110 lb Cover
	Opt. 2,500-Sheet Ext. LCF LT-Only -16 lb Bond-140 lb Index
Duplex	Standard Automatic Duplex Unit (16 lb Bond-140 lb Index)
Reproduction Ratio	25% to 400%
Max Duty Cycle	Max, 520K/590K/660K/720K Month
Weight	Approx.430 lb
Approx. Dimensions	37.6" (W) x 27.5" (D) x 48.3" (H)
Toner Yield	106,600 @ 5%
Power Source	120 Volts, 50/60 Hz, 16 Amps
Power Consumption	Maximum 2.0kW (120V)
CPU	Intel Atom™ 1.33 GHz (Dual-Core)
Memory	4GB
Hard Disk Drive	320GB Self-Encrypting Drive

### e-BRIDGE N **Print Specifications**

PDL Print Speed Print Resolution	PCL5e, PCL5c, PCL6 (PCL XL), PS3, PDF, XPS, JPEG 55/65/75/85 PPM (LT) 600 x 600 dpi, 2,400 (Equivalence) x 600 dpi (With Smoothing), 1,200 x 1,200 dpi (2-bit) or 3,600 (Equivalence) x 1,200 dpi, PS Only
Operating Systems	Windows Server <sup>®</sup> 2008 R2, R2 SP1, 2008/SP2, Windows <sup>®</sup> 7,8.1,10, Windows Server <sup>®</sup> 2012/R2, Windows Server 2016 <sup>®</sup> , Macintosh <sup>®</sup> (macOS X 10.7.4, 10.8, 10.9, 10.10, 10.11, macOS 10.12, 10.13), Unix <sup>®</sup> , Linux <sup>®</sup>
Network Protocols	TCP/IP (IPv4, IPv6), NetBIOS over TCP/IP, IPX/SPX® for Novell® Environments, EtherTalk for Macintosh® Environments
Printing Protocols	SMB, LPR/LPD, IPP (Ver.2.0) w/Authentication, AppleTalk <sup>®</sup> PAP or EtherTalk, Port 9100 (bi-directional), NetWare P-SERVER LPD w/ iPrint, WS Print, FTP
Print Drivers	Windows Server <sup>®</sup> 2008 SP2 (32-bit, 64-bit) Windows Server <sup>®</sup> 2008 R2 SP1 (64-bit), Windows <sup>®</sup> 7 SP1 (32-bit, 64-bit), Windows <sup>®</sup> 8.1 (32-bit, 64-bit), Windows Server <sup>®</sup> 2012/R2 (64-bit), Windows <sup>®</sup> 810 (32-bit, 64-bit), macOS 10 (32-bit, 64-bit), macOS 10.12, 10.13
Interface	RJ-45 Ethernet (10/100/1000 Base-T), USB 20.0 (High-speed) Optional 802.11b/q/n, Wireless LAN, Optional Bluetooth
Wireless Device	AirPrint <sup>®</sup> , Mopria <sup>®</sup> , e-BRIDGE Print & Capture Application on iOS and Android (Available via Apple <sup>®</sup> App Store or Google Play)
Device Management Account Control	TopAccess Up to 10,000 users or 1,000 Departments Supports User Authentication (on Device), Login Name/Password (via Windows <sup>®</sup> domain) or Login Name/ Password (via LDAP Server) for Copy, Print, Scan, Fax, List, and User Function
Accessibility Features	Tilt Front Panel, Job Programs, Universal Grip for Paper Trays, Disable Screen     Timeout and Audible Beep Message Alerts
ENERGYSTAR	

Ν	ех	t	Р	ľ
		PC	CL5	je

Security Features	User Authentication, On-Board Data Scramble Function, SCEP, Disable e-Filing, Disable Copy, Disk Overwrite, IP Address Filtering (10 Sets), MAC Address Filtering (10 Sets), Network Service Control, Network Port Control, SMB Packet Signing, SSL/TLS (HTTP, IPP, LDAP, SMTP, POP, FTP, DPWS), IPsec (IKEv1, IKEv2), Security Mode Change, CC Certified (ISO/IEC15408)* with HCD-PP v1.0, IEEE802.1X (Wired/Wireless), Digital Signature for Client Utilities, Password Policy, Password Lock, Password Expiration, Self Testing, Job Access Control, Log Access Control for Job Log, Security Stamp, Role Based Access Control, Secure PDF, Digital Signature for firmware update, Integrity Check function, Image Log, Card Authentication, NFC Authentication *Conformance with HCD-PPv1.0 in High Security Mode.
Environmental Stds.	ENERGY STAR® (V2.0), EPEAT Gold
Certification	WHQL (Windows <sup>®</sup> 7, 8, 8.1, 10, 2008 R2, 2012, 2012 R2), Novell <sup>®</sup> , Citrix <sup>®</sup> , SAP, AirPrint <sup>®</sup> , Mopria <sup>®</sup>

### **Scan Specifications**

Scan Speed Scan Modes	DSDF Scan: Up to 240 IPM Duplex, 120 IPM Simplex (Monochrome or Colour) Standard: Full Colour, Auto Colour, Monochrome, Gravscale
Scan Resolution	600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi
File Formats	Monochrome: TIFF-Multi/Single Page, PDF-Multi/Single Page, Searchable PDF (Opt.), XPS-Multi/Single Page, DOCX (Opt.), XLSX (Opt.), PPTX (Opt.) Colour/Grayscale: JPEG, TIFF-Multi/Single Page, PDF-Multi/Single Page, Slim PDF, Searchable PDF (Opt.), XPS-Multi/Single Page, DOCX (Opt.), XLSX (Opt.), PPTX (Opt.)
Image Compression	Colour/Grayscale: JPEG (High, Middle, Low)

### **Facsimile Specifications**

Compatibility Data Compression	Super G3 MH/MB/JMB/JBIG
Transmission Speed	Approx. 3 Seconds Per Page
Fax Modem Speed	Up to 33.6 Kbps
Memory Transmission	100 Jobs (with HDD), 2,000 Destinations Max. 400 Destinations/Job
Scan Speed	0.7 Seconds Per Page, Maximum 73 IPM
•	

### e-Filing Specifications

Operation Method	Colour Touch Screen Control Panel or Client PC		
Number of Boxes	1 Public Box, 200 Private User Boxes		
Capacity of Boxes	100 Folders Per Box, 400 Documents Per Folder/Box,		
	200 Pages Per Document		

### Accessories (Options)

Additional Paper Options		FIPS 140-2 Validated SED	GE-1230
Large Capacity Feeder	MP-2502L-B	Embedded OCR Enabler	GS-1080
Finishing Options		Multi-Station Print Enabler Mototype Font Option	GS-1090 GB-2050L
50-Sheet Staple Finisher Saddle-Stitch Finisher	MJ-1111-B MJ-1112-B	Missellanseus Ontions	
Hole Punch Unit	MJ-6106N	Miscellaneous Options Accessible Arm	KK-2560
		Harness Kit for Coin Controller	
Side Exit Tray Finisher Guide Rail	KA-6551-ET KN-1103	Harness Kit for Colli Controller	GQ-1280
Connectivity/Security Optio FAX Unit/2nd Line for FAX Unit	GD-1370NA-N	e-BRIDGE Plus Apps Office365 Includes:	GB-365Node
Wireless LAN/Bluetooth Bluetooth Keyboard Accessory Tray	GN-4020 GR-9000 GR-1330	OneDrive® 365 App SharePoint® 365 App Exchange 365 App	
Panel 10-Key Option	GR-1340	Excitatige 303 App	
Card Reader Holder	GR-1320		
Meta Scan Enabler	GS-1010		
IPsec Enabler	GP-1080		
Unicode Font Enabler	GS-1007		

Designs and specifications subject to change without notice. Specifications may vary by conditions of use and/or environmental usage. For best results and reliable performance, always use supplies manufactured or designated by Toshiba. Not all options and accessories may be available at the time of product launch. Please contact a local Authorized Toshiba Dealership or Toshiba Tec Canada Business Solutions Inc. Branch for availability. Toner yields are estimates based on 5% coverage, letter-size page. Driver and connectivity feature support varies by client/network operating system. Product names may be trademedia of their comparison of the Aug. be trademarks of their respective companies. AirPrint® and the AirPrint® logo are trademarks of Apple Inc. This is a Class 1 laser product complying with IEC60825-1. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries.

© 2018 Toshiba Tec Canada Business Solutions Inc. Inv. Code CE-ES8518A-B

### **Corporate Office**

Phone

Fax

75 Tiverton Court Markham, Ontario L3R 4M8

905-470-3500 905-470-3450

www.toshiba.ca

Web Site