

TOSHIBA

e-STUDIO5015AC series

- > Colour Multifunction Printer
- > Up to 50 PPM
- > Medium/Large Workgroup
- > Copy, Print, Scan, Fax
- > Secure MFP
- > Solutions Ready



TOGETHER
INFORMATION

CONNECT, INTEGRATE, SIMPLIFY, AND MORE.

Technology for every workplace, delivering advanced functionality, ease of use and peace of mind.

Every business is unique. That's why Toshiba offers the latest customizable solutions that can be tailored to meet your needs. Toshiba solutions help you simplify complex tasks while managing diverse information—efficiently and safely to maximize your productivity.

Toshiba's latest series delivers on our promise of Together Information - our commitment to collaborate with clients to provide tailored, cost-effective solutions that meet your print, document management and content needs while helping you to meet your green objectives.

- > 25, 30, 35, 45 & 50 PPM
- > High-resolution colour
- > High-volume black & white and colour
- > Advanced e-BRIDGE Next technology
- > Fast dual-core processor



Simple, smart and stylish.

A larger 10.1" tablet-style touch screen with an embedded web browser is easy to use, and customizable to meet your needs, enhancing the sleek and modern look of the complete series.

Toshiba's latest e-BRIDGE Next controller delivers exceptional colour quality.

Don't restrict yourself to black and white when you can print with eye-catching colour. It's Toshiba's sophisticated colour system with high resolution for top-notch image quality.

- > True 1,200 x 1,200 dpi
up to 3,600 x 1,200 dpi equivalent with PostScript 3
- > 256 gradations for smooth transitions in photographs and illustrations
- > Auto-calibration and user calibration ensure consistency of colour across small and large print jobs

Customizable user interface streamlines complicated multi-step processes into automated one-touch functions.

A fully-customizable user interface with an open platform enables departments to tailor settings and automate workflow including the integration of third-party solutions resulting in simple operation and improved efficiency. Let Toshiba place productivity and performance at your fingertips.

- > Customize and automate workflow specifically around your business processes
- > Boost productivity by reducing manual and paper intensive processes in the office
- > Personalize the user interface by department or individually to deliver the utmost efficiency
- > Cost savings and greater efficiency through improved workflow and productivity



SMALL FOOTPRINT, BIG BUSINESS.

Even with a relatively small footprint, the e-STUDIO5015AC Series is packed with industry-leading technologies and innovations designed to help workgroups connect, integrate and simplify.

Advanced e-BRIDGE Next Technology enables the MFP to drive Toshiba's internally developed solutions or those from a third party with ease.

Dual-Scan Document Feeder holds an amazing 300 originals and boasts an impressive 240 images per minute (IPM) by scanning both sides of the page in a single pass.

Auto Skew Correction ensures your scanned documents, using any of the document feeder options, are reproduced accurately.

Multi-Station Print Enabler allows you to retrieve your print job from a series of networked MFPs – now with support of up to 50 e-BRIDGE devices.

Print Around eliminates printing bottlenecks by allowing other print jobs to go around any being held-up for a specific paper size, media type, or colour toner.

Job Reservation will queue up multiple copy or print jobs so users can send jobs whenever.

Embedded Optical Character Recognition (OCR) simplifies the creation of searchable PDFs or editable document formats such as Microsoft® Word™.

Exclusive Water Proof Paper water and tear resistant media up to 12" x 47" banner size.

Saddle/Fold Capabilities offer saddle-stitch finishing and the option to fold with or without stapling.

12" x 18" Cassette provides the ability to print stunning 11" x 17" full-bleed colour on 12" x 18" paper.

Notifications Feature takes the hassle out of checking for depleted supplies or maintenance needs.

Paper Volume Indicators on the front panel make it easy to see the paper sizes, types and levels in each cassette.

Service Module Design significantly reduces the cost and time spent servicing the MFP.

Print-from USB lets you print PDF and JPG files straight from your USB drive and the MFP will scale documents to fit the available paper size if necessary.

Scan-to USB is great for capturing a file quickly when you're on the go.

Scan Preview allows you to review your scanned documents digitally, even rotate and change pages prior to sending to file or email.

Fax Preview saves valuable resources by letting you view received faxes prior to printing them.



TOSHIBA TECHNOLOGY NEVER LOOKED BETTER.

Keeping medium to large workgroups in mind, the e-STUDIO5015AC Series is easily integrated, customizable and solutions ready with Toshiba's Open Platform.

Complex tasks of the past are now a simple one touch button on your e-STUDIO control panel, thanks to Toshiba's seamless integration with third-party solutions and the use of embedded web browser technology.

Toshiba's exclusive e-BRIDGE Print & Capture application enables mobile device users to take advantage of the broad feature set of the e-STUDIO whether they're in the office or on the go.

Toshiba's V4 Driver with Toshiba Print Experience serves PCL users, a universal print driver and XPS support addresses Windows® environments while PS3 support provides connectivity for Macintosh® users and beyond.

The Universal Print Driver is suitable for all users. Tandem print comes standard with your e-STUDIO, along with a variety of time-saving, function-adding plug-ins that enable productivity right in the printer driver. For instance:

- > e-BRIDGE Job Point—quickly split up large jobs across up to 10 Toshiba MFPs
- > e-BRIDGE Job Replicator—streamline the creation of multi-part forms and documents
- > e-BRIDGE Job Separator—perform batch printing easily using any Windows® app
- > e-BRIDGE Job Build—conveniently print different document types all together as a single job

With Google Cloud Print™ support, you can securely print over the web from anywhere, anytime—including your phone—to an e-STUDIO5015AC Series MFP. e-BRIDGE Plus for Google Drive™, e-BRIDGE Plus for OneDrive®, e-BRIDGE Plus for DropBox®, and e-BRIDGE Plus for box™ address all of the popular cloud-based mobility apps.*

Embedded Applications for Office365®** lets users scan to and print from their Office365® directly at the front panel of the e-STUDIO MFP or their mobile device. This includes Word™, Excel® and PowerPoint® (docx, xlsx, pptx) documents stored in OneDrive® accounts or SharePoint® locations. When combined with our embedded OCR feature, documents can be scanned into these popular Office™ formats as well.*

*Your network settings and/or access control may vary depending on network environment when installing e-BRIDGE Plus applications. For details, please consult your Toshiba sales person.

**Available three applications; e-BRIDGE Plus for OneDrive® for Business, e-BRIDGE Plus for SharePoint® Online and e-BRIDGE Plus for Exchange Online

Tight Security

Along with all of the new and innovative Toshiba technologies, we regard the security of your business a top priority.

- > A 320GB Self-Encrypting Drive (SED) with Automatic Drive Invalidation (ADI) & Data Overwrite capability provides top level security
- > Available FIPS 140-2 Validated SED meets and exceeds strict government requirements
- > IPsec is available to securely encrypt data sent to and from the MFP

Environmental Protection

Innovation that is truly innovative makes certain that our environment is part of the equation, which is precisely what we do here at Toshiba.

- > ENERGY STAR® V2.0 certified
- > RoHS compliance, the use of recycled plastics, and Super Sleep (0.6W) Mode work to help the environment
- > EPEAT Gold Registered for greener electronics, designed to help purchasers choose products that reduce environmental impact
- > The new e-STUDIO models' Typical [weekly] Electrical Consumption or TEC value is exceptionally low, equating to an environmentally friendly product with a low operating cost
- > e-BRIDGE Plus for Green Information provides users with a graphical display at the MFP of their environmental contribution to promote more effective use



FEATURES, BENEFITS, AND THE WOW FACTOR.

1 Document Feeder Options

| | |
|-----------|--|
| MR-4000-B | Dual-Scan Document Feeder (DSDF) |
| MR-3031-B | Reversing Automatic Document Feeder (RADF) |
| KA-5005PC | Platen Cover |

2 Accessory Tray & Options

| | |
|---------|-----------------------|
| GR-1330 | Accessory Tray |
| GR-9000 | Bluetooth Keyboard |
| GR-1340 | 10-Key Numeric Keypad |

3 Finishing Options

| | |
|-----------|---------------------------------|
| MJ-1042-B | 50-Sheet Inner Finisher |
| MJ-1109-B | 50-Sheet Console Finisher |
| MJ-1110-B | 50-Sheet Saddle-Stitch Finisher |
| MJ-5015 | Job Separator |

4 Additional Paper Options

| | |
|-------------|-----------------------------------|
| KD-1058-B | Paper Feed Pedestal |
| KD-1059LT-B | 2,000-Sheet Large Capacity Feeder |
| MY-1048-B | Additional Drawer Module for PFP |
| MY-1049-B | Envelope Cassette |



Additional Option Highlights

- > Multi-Station Print Enabler
- > Embedded OCR Enabler
- > Wireless LAN/Bluetooth
- > IPsec Security Enabler
- > Single & Dual-Line Facsimile
- > Hidden Card Reader Pocket

The Toshiba e-STUDIO5015AC Series can increase the efficiency of your workgroups, improve the professionalism of your presentations, and streamline the workflow of your organization. And, that's just for starters.

Double the Scan Speed

A 300-sheet high-speed, high-capacity Dual-Scan Document Feeder (DSDF) produces up to 120 IPM simplex and 240 IPM duplex. A conventional RADF is available for less scan-intensive businesses.

Envelopes—the Perfect Fit

A special envelope cassette is available to hold up to 60 envelopes, making sure each one is fed and printed in the same place, every time.

Volumes and Volumes

A high monthly copy volume is up to 210,000 for monochrome and 105,000 for colour printing. Toner yields are 33,600 CMY and 38,400 K (at 5%) respectively.

Multi-Station Print Enabler

Toshiba's internally developed Multi-Station Print Enabler, now with support of up to 50 e-STUDIO devices, allows users to send print jobs from their desktop and retrieve them by simply swiping their card and authenticating at any convenient MFP.

Advanced e-BRIDGE Next Technology

Built on Linux®, this latest generation e-BRIDGE Next architecture features an Embedded Web Browser, a dual-core processor, 4GB RAM and a 320GB SED HDD enabling the MFP to easily drive Toshiba's internally developed solutions or even third-party applications.

e-STUDIO™ 2515AC/3015AC/3515AC/4515AC/5015AC

Main Specifications

| | |
|----------------------------------|--|
| Copy System | Indirect Electrostatic Photographic Method/OPC/Laser Printing/ Heat Roller Fusing |
| Display | 10.1" Colour WSVGA Touch Screen Tilting Display |
| Copy Speed | 25/30/35/45/50 PPM (LT) |
| First Copy Out | Colour: 7.8/7.8/7.8/5.7/5.7 seconds Monochrome: 5.9/5.9/5.9/4.4/4.4 seconds |
| Warm-Up Time | Approx. 20 Seconds |
| Copy Resolution | 600 x 600 dpi |
| Stack Feed Bypass | 3.9" x 5.8" to 12" x 18", 12" x 47" Banner, Envelope |
| Multiple Copying | Up to 999 Copies |
| Paper Capacity | Standard 1,200 Sheets/Max. 3,200 Sheets |
| Original Feed | Optional 300-Sheet DSD/ or 100-Sheet RADF |
| Scan Speed & Weights | DSD/ Scan: Up to 240 IPM Duplex, 120 IPM Simplex (Monochrome or Colour), Simplex: 9.3-110 lb Bond, Duplex: 9.3-110 lb Bond RADF Scan: Up to 73 IPM (Monochrome or Colour), Simplex: 9.3-41.8 lb Bond, Duplex: 13.3-41.8 lb Bond Ledger |
| Max. Original Size | Drawer 1: 550 Sheets-ST-R to LD |
| Paper Feed Sizes | Drawer 2: 550 Sheets-ST-R to 12" x 18" Stack Feed Bypass: 100 Sheets-3.9" x 5.8" to 12" x 18", 12" x 47" Banner Opt. 550-Sheet Paper Feed Pedestal-ST-R to 12" x 18" Opt. 550-Sheet Drawer for PFP-ST-R to 12" x 18" Opt. Envelope Cassette for PFP-Approx. 60 Envelopes/550 Sheets-ST-R to LG Opt. 2,000-Sheet Tandem LCF (Pedestal Type)-LT Only Standard: 550 Sheets x 2-16 lb Bond-140 lb Index Stack Feed Bypass: 100 Sheets-14 lb Bond-100 lb Cover Opt. 550-Sheet Paper Feed Pedestal-16 lb Bond-140 lb Index Opt. 550 Sheets Drawer for PFP-16 lb Bond-140 lb Index Opt. Envelope Cassette for PFP-16 lb Bond-140 lb Index Opt. 2,000-Sheet Tandem LCF (Pedestal Type)-17 lb-28 lb Bond Standard Automatic Duplex Unit (16 lb Bond-140 lb Index) |
| Duplex Reproduction Ratio | 25% to 400% |
| Max Duty Cycle | Max. 75K/90K/105K/105K/105K Month (Colour: 100%) Max. 150K/180K/210K/210K/210K Month (Monochrome: 100%) |
| Weight | Approx. 172 lb |
| Approx. Dimensions | 23" (W) x 25.2" (D) x 31" (H) |
| CMYK Toner Yield | CMY: 33.6K, K: 38.4K @ 5% |
| Power Source | 120 Volts, 50/60 Hz, 12 Amps |
| Power Consumption | Maximum 1.5kW (120V) |
| CPU | Intel Atom™ 1.33 GHz (Dual-Core) |
| Memory | 4GB |
| Hard Disk Drive | 320GB Self-Encrypting Drive |

e-BRIDGE Next Print Specifications

| | |
|-------------------------------|---|
| PDL | PCL5e, PCL5c, PCL6 (PCL XL), PS3, PDF, XPS, JPEG |
| Print Speed | 25/30/35/45/50 Pages Per Minute (LT) |
| Print Resolution | 600 x 600 dpi (5 bit), 1,200 x 1,200 dpi (Colour/2 bit) or 3,600 (Equivalence) x 1,200 dpi (BW/with smoothing) (PS3 only) |
| Operating Systems | Windows Server® 2008 R2, R2 SP1, 2008/SP2, Windows® 7, 8.1, 10, Windows Server® 2012/R2, Windows Server® 2016, Macintosh® (macOS X 10.7.4, 10.8, 10.9, 10.10, 10.11, 10.12, 10.13), Unix®, Linux® |
| Network Protocols | TCP/IP (IPv4, IPv6), NetBIOS over TCP/IP, IPX/SPX® for Novell® Environments, EtherTalk for Macintosh Environments |
| Printing Protocols | SMB, LPR/LPD, IPP (Ver.2.0) w/Authentication, AppleTalk® PAP or EtherTalk, Port 9100 (bi-directional), NetWare P-SERVER LPD w/ iPrint, WS Print, FTP |
| Print Drivers | Windows Server® 2008 SP2 (32-bit, 64-bit) Windows Server® 2008 R2 SP1 (64-bit), Windows® 7 SP1 (32-bit, 64-bit), Windows® 8.1 (32-bit, 64-bit), Windows Server® 2012/R2 (64-bit), Windows Server® 2016, Windows® 10 (32-bit, 64-bit), macOS X 10.7.4, 10.8, 10.9, 10.10, 10.11, 10.12, 10.13 |
| Interface | RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (High-speed) Optional IEEE802.11b/g/n, Wireless LAN, Optional Bluetooth |
| Wireless Device | AirPrint®, Mopria®, e-BRIDGE Print & Capture Application on iOS and Android (Available via Apple® App Store or Google Play) |
| Device Management | TopAccess |
| Account Control | Up to 10,000 users or 1,000 Departments Supports User Authentication (on Device), Login Name/Password (via Windows® domain) or Login Name/ Password (via LDAP Server) for Copy, Print, Scan, Fax, List, and User Function |
| Accessibility Features | Tilt Front Panel, Job Programs, Universal Grip for Paper Trays, Disable Screen Timeout and Audible Beep Message Alerts |



Security Features

User Authentication, On-Board Data Scramble Function, SCEP, Disable e-Filing, Disable Copy, Disk Overwrite, IP Address Filtering (10 Sets), MAC Address Filtering (10 Sets), Network Service Control, Network Port Control, SMB Packet Signing, SSL/TLS (HTTP, IPP, LDAP, SMTP, POP, FTP, DPWS, SYSLOG), IPsec (IKEv1, IKEv2), Security Mode Change, CC Certified (ISO/IEC15408)* with HCD-PP v1.0, IEEE802.1X (Wired/Wireless), Digital Signature for Client Utilities, Password Policy, Password Lock, Password Expiration, Self Testing, Job Access Control, Log Access Control for Job Log, Security Stamp, Role Based Access Control, Secure PDF, Digital Signature for firmware update, Integrity Check function, Image Log, Card Authentication, NFC Authentication
*Conformance with HCD-PPv1.0 in High security mode.

Environmental Stds.

ENERGY STAR® (V2.0), EPEAT Gold, Blue Angel Mark (RAL UZ-205, MFD), Nordic Swan, RoHS, WHQL (Windows® 7, 8, 8.1, 10, 2008 R2, 2012, 2012 R2), Novell®, Citrix®, SAP, AirPrint® and Mopria®

Certification

Scan Specifications

| | |
|--------------------------|--|
| Scan Speed | DSD/ Scan: Up to 240 IPM Duplex, 120 IPM Simplex (Monochrome or Colour) RADF Scan: Up to 73 IPM (Monochrome or Colour) |
| Scan Modes | Standard: Full Colour, Auto Colour, Monochrome, Grayscale |
| Scan Resolution | 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi |
| File Formats | Monochrome: TIFF-Multi/Single Page, PDF-Multi/Single Page, Searchable PDF (Opt.), XPS-Multi/Single Page, DOCX (Opt.), XLSX (Opt.), PPTX (Opt.) Colour/Grayscale: JPEG, TIFF-Multi/Single Page, PDF-Multi/Single Page, Slim PDF, Searchable PDF (Opt.), XPS-Multi/Single Page, DOCX (Opt.), XLSX (Opt.), PPTX (Opt.) |
| Image Compression | Colour/Grayscale: JPEG (High, Middle, Low) |

Facsimile Specifications

| | |
|----------------------------|---|
| Compatibility | Super G3 |
| Data Compression | MH/MR/MMR/JBIG |
| Transmission Speed | Approx. 3 Seconds Per Page |
| Fax Modem Speed | Up to 33.6 Kbps |
| Memory Transmission | 100 Jobs (with HDD), 2,000 Destinations Max. 400 Destinations/Job |
| Scan Speed | 0.7 Seconds Per Page, Maximum 73 IPM |

e-Filing Specifications

| | |
|--------------------------|--|
| Operation Method | Colour Touch Screen Control Panel or Client PC |
| Number of Boxes | 1 Public Box, 200 Private User Boxes |
| Capacity of Boxes | 100 Folders Per Box, 400 Documents Per Folder/Box, 200 Pages Per Document |

Accessories (Options)

Platen & Document Feeder Options

| | | | |
|--------------|-----------|-----------------------------|----------|
| DSD/ | MR-4000-B | Accessory Tray | GR-1330 |
| RADF | MR-3031-B | Panel 10-Key Option | GR-1340 |
| Platen Cover | KA-5005PC | Card Reader Holder | GR-1320 |
| | | FIPS HDD | GE-1230 |
| | | USB Hub | GR-1310 |
| | | Meta Scan Enabler | GS-1010 |
| | | IPsec Enabler | GP-1080 |
| | | Unicode Font Enabler | GS-1007 |
| | | Embedded OCR Enabler | GS-1080 |
| | | Multi-Station Print Enabler | GS-1090 |
| | | Monotype Font Option | GB-2050L |

Additional Paper Options

| | |
|--------------------------|-------------|
| Paper Feed Pedestal | KD-1058-B |
| Drawer Module | MY-1048-B |
| Envelope Cassette Option | MY-1049-B |
| Large Capacity Feeder | KD-1059LT-B |

Finishing Options

| | |
|------------------------------------|-----------|
| Inner Finisher | MJ-1042-B |
| 50-Sheet Staple Finisher | MJ-1109-B |
| Saddle-Stitch Finisher | MJ-1110-B |
| Hole Punch Unit (MJ-1042-B) | MJ-6011N |
| Hole Punch Unit (MJ-1109-B/1110-B) | MJ-6105N |
| Bridge Kit (MJ-1109-B/1110-B) | KN-5005 |
| Job Separator | MJ-5015 |

Connectivity/Security Options

| | |
|--------------------------------|-------------|
| FAX Unit/2nd Line for FAX Unit | GD-1370NA-N |
| Wireless LAN/Bluetooth | GN-4020 |
| Hardcopy Security Printing | GP-1190A |
| Bluetooth Keyboard | GR-9000 |

Miscellaneous Options

| | |
|---------------------------------|---------|
| Stand | ST-5005 |
| Accessible Arm | KK-2560 |
| Harness Kit for Coin Controller | GQ-1280 |

e-BRIDGE Plus Apps

| | |
|---------------------|------------|
| Office365 | GB-365Node |
| Includes: | |
| OneDrive® 365 App | |
| SharePoint® 365 App | |
| Exchange 365 App | |

Designs and specifications subject to change without notice. Specifications may vary by conditions of use and/or environmental usage. For best results and reliable performance, always use supplies manufactured or designated by Toshiba. Not all options and accessories may be available at the time of product launch. Please contact a local Authorized Toshiba Dealership or Toshiba Tec Canada Business Solutions Inc. Branch for availability. Toner yields are estimates based on 5% coverage, letter-size page. Driver and connectivity feature support varies by client/network operating system. Product names may be trademarks of their respective companies. AirPrint® and the AirPrint® logo are trademarks of Apple Inc. This is a Class 1 laser product complying with IEC60825-1. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries.

Corporate Office

75 Tiverton Court
Markham, Ontario
L3R 4M8

Phone
Fax

905-470-3500
905-470-3450

Web Site

www.toshiba.ca